

CES Open Source Licenses - Verint Performance Management (PM) Version 15.2

Document Revision 1.00
September 2024



[Verint.com](https://www.verint.com)



[Twitter.com/verint](https://twitter.com/verint)



[Facebook.com/verint](https://facebook.com/verint)



[Blog.verint.com](https://blog.verint.com)

VERINT.

Table of Contents

Open Source Attribution	1
Verint. Powering Actionable Intelligence.®.....	113



Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms. EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third party technology from the Verint Product. Unless otherwise permitted under the terms of the third party license agreement, you agree to only use the third party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software, with ownership in those components as indicated below:

- FastInfoset, version 1.2.15. A copy of its license can be found at <http://www.opensource.org/licenses/apache2.0.php>
- HikariCP, version 4.0.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- accessors-smart, version 2.4.11. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- accessors-smart, version 2.4.7. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- accessors-smart, version 2.5.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- activation, version 1.1. A copy of its license can be found at <https://glassfish.dev.java.net/public/CDDLv1.0.html>
- activation, version 1.1.1. A copy of its license can be found at <https://glassfish.dev.java.net/public/CDDLv1.0.html>
- animal-sniffer-annotations, version 1.17. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- annotations, version 3.0.1. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl.html>
- antlr, version 2.7.7. A copy of its license can be found at <http://www.antlr.org/license.html>
- asm, version 9.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- asm, version 9.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- aspectjweaver, version 1.8.14. A copy of its license can be found at <http://www.eclipse.org/legal/epl-v10.html>

- aspectjweaver, version 1.8.9. A copy of its license can be found at <http://www.eclipse.org/legal/epl-v10.html>
- aspectjweaver, version 1.9.7. A copy of its license can be found at <https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>
- axiom-api, version 1.4.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axiom-dom, version 1.4.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axiom-impl, version 1.4.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axis, version 1.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-1.0>
- axis2, version 1.8.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axis2-adb, version 1.8.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axis2-kernel, version 1.8.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axis2-transport-http, version 1.8.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- axis2-xmlbeans, version 1.8.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- bridge-method-annotation, version 1.13. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- bsh, version 2.0b4. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl.txt>
- byte-buddy, version 1.12.23. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- byte-buddy, version 1.14.9. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- cglib-nodep, version 3.2.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- checker-qual, version 2.5.2. A copy of its license can be found at <http://opensource.org/licenses/MIT>
- checker-qual, version 3.12.0. A copy of its license can be found at <http://opensource.org/licenses/MIT>
- checker-qual, version 3.33.0. A copy of its license can be found at <http://opensource.org/licenses/MIT>
- classgraph, version 4.8.108. A copy of its license can be found at <http://opensource.org/licenses/MIT>
- classmate, version 1.3.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- classmate, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- codegen, version 0.6.8. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- codegen-utils, version 5.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- coherence, version 12.2.1.3.0. A copy of its license can be found at <https://github.com/oracle/coherence/blob/main/LICENSE.txt>
- com.bea.core.annogen, version 2.2.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- com.bea.core.descriptor.settable.binding, version 3.0.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- com.bea.core.xml.xmlbeans, version 2.6.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-beanutils, version 1.9.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-codec, version 1.10. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-codec, version 1.11. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-collections, version 3.2.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-collections4, version 4.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-compress, version 1.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-configuration, version 1.10. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-csv, version 1.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-discovery, version 0.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-exec, version 1.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-fileupload, version 1.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-fileupload, version 1.5. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-io, version 2.17.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-io, version 2.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-io, version 2.6. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-lang, version 2.6. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-lang3, version 3.12.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-lang3, version 3.9. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- commons-logging, version 1.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- commons-text, version 1.10.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- coverity-escapers, version 1.1.1. A copy of its license can be found at https://github.com/coverity/coverity-security-library/blob/develop/coverity-escapers/README.md#main_authors
- cssparser, version 0.9.20. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- cssparser, version 0.9.22. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- cucumber-core, version 2.4.0. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license>
- cucumber-html, version 0.2.6. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license>
- cucumber-java, version 2.4.0. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license>
- cucumber-jvm-deps, version 1.0.6. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- cucumber-reporting, version 4.5.1. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl-2.1.html>
- cucumber-reporting, version 5.7.6. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl-2.1.html>
- ecj, version 3.26.0. A copy of its license can be found at <https://www.eclipse.org/legal/epl-2.0/>
- ecj, version 4.3.1. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- ejb-api, version 3.0. A copy of its license can be found at <https://spdx.org/licenses/CDDL-1.1.html>
- error_prone_annotations, version 2.18.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- error_prone_annotations, version 2.2.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- error_prone_annotations, version 2.7.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- evo-inflector, version 1.2.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- evo-inflector, version 1.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- failureaccess, version 1.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- failureaccess, version 1.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- geronimo-ws-metadata_2.0_spec, version 1.1.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- gherkin, version 5.0.0. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license>

- groovy, version 2.4.15. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- groovy, version 2.4.17. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- groovy-all, version 2.4.11. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- groovy-json, version 2.4.15. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- groovy-json, version 2.4.9. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- groovy-xml, version 2.4.15. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- groovy-xml, version 2.4.17. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- gson, version 2.10.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- gson, version 2.8.5. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- guava, version 21.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- guava, version 27.0-jre. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- guava, version 31.0-jre. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- guava, version 32.0.0-jre. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- guava, version 32.0.1-jre. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- hamcrest, version 2.2. A copy of its license can be found at <http://opensource.org/licenses/BSD-3-Clause>
- hamcrest-core, version 1.3. A copy of its license can be found at <http://www.opensource.org/licenses/bsd-license.php>
- hamcrest-library, version 1.3. A copy of its license can be found at <http://www.opensource.org/licenses/bsd-license.php>
- hibernate-commons-annotations, version 5.0.1.Final. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl-2.1.html>
- hibernate-commons-annotations, version 5.1.2.Final. A copy of its license can be found at <http://www.opensource.org/licenses/LGPL-2.1>
- hibernate-core, version 5.0.12.Final. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl-2.1.html>
- hibernate-core, version 5.6.15.Final. A copy of its license can be found at <https://www.opensource.org/licenses/LGPL-2.1>
- hibernate-entitymanager, version 5.0.12.Final. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl-2.1.html>
- hibernate-jpa-2.1-api, version 1.0.0.Final. A copy of its license can be found at <http://www.eclipse.org/legal/epl-v10.html>

- hibernate-validator, version 5.3.6.Final. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- hibernate-validator, version 6.2.5.Final. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- hsqldb, version 1.8.0.10. A copy of its license can be found at <http://hsqldb.org/web/hsqLicense.html>
- htmlunit, version 2.23. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- htmlunit, version 2.26. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- htmlunit-core-js, version 2.23. A copy of its license can be found at <http://www.mozilla.org/MPL/2.0/>
- htmlunit-core-js, version 2.26. A copy of its license can be found at <http://www.mozilla.org/MPL/2.0/>
- htmlunit-driver, version 2.26. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpclient, version 4.5.13. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpclient, version 4.5.14. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpclient, version 4.5.6. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpcore, version 4.4.10. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpcore, version 4.4.13. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpcore, version 4.4.16. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpmime, version 4.5.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- httpmime, version 4.5.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- istack-commons-runtime, version 3.0.12. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- istack-commons-runtime, version 3.0.7. A copy of its license can be found at https://glassfish.java.net/public/CDDL+GPL_1_1.html
- j2objc-annotations, version 1.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- j2objc-annotations, version 1.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- j2objc-annotations, version 2.8. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-annotations, version 2.10.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-annotations, version 2.15.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- jackson-annotations, version 2.17.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-bom, version 2.15.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-bom, version 2.17.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-core, version 2.10.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-core, version 2.15.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-core, version 2.17.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-databind, version 2.10.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-databind, version 2.15.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-databind, version 2.17.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-datatype-hibernate5, version 2.17.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-datatype-hibernate5, version 2.9.6. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-datatype-jdk8, version 2.12.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-datatype-jdk8, version 2.17.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-datatype-jsr310, version 2.12.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-datatype-jsr310, version 2.17.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-module-parameter-names, version 2.13.5. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jackson-module-parameter-names, version 2.17.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jakarta.activation, version 1.2.2. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jakarta.activation-api, version 1.2.2. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jakarta.annotation-api, version 1.3.5. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jakarta.persistence-api, version 2.2.3. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jakarta.transaction-api, version 1.3.3. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jakarta.validation-api, version 2.0.2. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>

- jakarta.ws.rs-api, version 2.1.5. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jakarta.xml.bind-api, version 2.3.3. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jandex, version 2.0.0.Final. A copy of its license can be found at <http://repository.jboss.org/licenses/cc0-1.0.txt>
- jandex, version 2.4.2.Final. A copy of its license can be found at <http://repository.jboss.org/licenses/cc0-1.0.txt>
- jarchivelib, version 1.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- javaee-api, version 7.0. A copy of its license can be found at <http://glassfish.java.net/nonav/public/CDDL+GPL.html>
- javassist, version 3.18.2-GA. A copy of its license can be found at <http://www.mozilla.org/MPL/MPL-1.1.html>
- javax.activation-api, version 1.2.0. A copy of its license can be found at <https://github.com/javaee/activation/blob/master/LICENSE.txt>
- javax.inject, version 1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- javax.mail, version 1.5.0. A copy of its license can be found at https://glassfish.java.net/public/CDDL+GPL_1_1.html
- javax.mail-api, version 1.5.1. A copy of its license can be found at https://glassfish.java.net/public/CDDL+GPL_1_1.html
- javax.persistence-api, version 2.2. A copy of its license can be found at <http://www.eclipse.org/legal/epl-v10.html>
- javax.servlet-api, version 3.1.0. A copy of its license can be found at <https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>
- javax.transaction-api, version 1.2. A copy of its license can be found at <https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>
- javax.transaction-api, version 1.3. A copy of its license can be found at <https://github.com/javaee/javax.transaction/blob/master/LICENSE>
- jaxb-api, version 2.2.12. A copy of its license can be found at https://glassfish.java.net/public/CDDL+GPL_1_1.html
- jaxb-api, version 2.3.1. A copy of its license can be found at <https://oss.oracle.com/licenses/CDDL+GPL-1.1>
- jaxb-osgi, version 2.2.10. A copy of its license can be found at http://glassfish.java.net/public/CDDL+GPL_1_1.html
- jaxb-runtime, version 2.3.1. A copy of its license can be found at http://glassfish.java.net/public/CDDL+GPL_1_1.html
- jaxb-runtime, version 2.3.9. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- jaxen, version 1.2.0. A copy of its license can be found at <https://raw.githubusercontent.com/jaxen-xpath/jaxen/master/LICENSE.txt>
- jaxrpc-client, version 12.1.3.1. A copy of its license can be found at <https://glassfish.dev.java.net/public/CDDL+GPL.html>
- jaxws-ws-wss-client, version 12.1.3.1. A copy of its license can be found at http://glassfish.java.net/public/CDDL+GPL_1_1.html

- jboss-logging, version 3.3.0.Final. A copy of its license can be found at <http://repository.jboss.org/licenses/cc0-1.0.txt>
- jboss-logging, version 3.4.3.Final. A copy of its license can be found at <http://repository.jboss.org/licenses/cc0-1.0.txt>
- jboss-transaction-api_1.2_spec, version 1.1.1.Final. A copy of its license can be found at <http://repository.jboss.org/licenses/cc0-1.0.txt>
- jcip-annotations, version 1.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jcl-over-slf4j, version 1.7.26. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- jcommander, version 1.27. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jcommander, version 1.48. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jcommon, version 0.9.6. A copy of its license can be found at <https://github.com/jfree/jcommon/blob/master/LICENSE>
- jdo-api, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jdom, version 2.0.2. A copy of its license can be found at <https://raw.githubusercontent.com/hunterhacker/jdom/master/LICENSE.txt>
- jdom2, version 2.0.6.1. A copy of its license can be found at <https://raw.githubusercontent.com/hunterhacker/jdom/master/LICENSE.txt>
- jetty-client, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- jetty-http, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- jetty-io, version 9.2.18.v20160721. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- jetty-io, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- jetty-util, version 9.2.18.v20160721. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- jetty-util, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- jfreechart, version 0.9.21. A copy of its license can be found at <https://github.com/jfree/jfreechart/blob/master/licence-LGPL.txt>
- jfreechart, version 1.5.5. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl.txt>
- jjwt-api, version 0.11.5. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- jjwt-api, version 0.12.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- jjwt-impl, version 0.11.5. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- jjwt-impl, version 0.12.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>

- jjwt-jackson, version 0.11.5. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- jjwt-jackson, version 0.12.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- jna, version 4.1.0. A copy of its license can be found at <http://www.gnu.org/licenses/licenses.html>
- jna-platform, version 4.1.0. A copy of its license can be found at <http://www.gnu.org/licenses/licenses.html>
- joda-time, version 1.6.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- joda-time, version 2.10.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- joda-time, version 2.12.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- joda-time, version 2.8.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- json, version 20080701. A copy of its license can be found at <http://www.json.org/license.html>
- json, version 20190722. A copy of its license can be found at <http://json.org/license.html>
- json, version 20240303. A copy of its license can be found at <https://github.com/stleary/JSON-java/blob/master/LICENSE>
- json-path, version 2.6.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- json-path, version 2.7.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- json-path, version 2.9.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- json-path, version 3.0.5. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- json-path, version 3.3.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- json-smart, version 2.4.11. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- json-smart, version 2.4.7. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- json-smart, version 2.5.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jsoup, version 1.11.3. A copy of its license can be found at <https://jsoup.org/license>
- jsoup, version 1.13.1. A copy of its license can be found at <https://jsoup.org/license>
- jsoup, version 1.18.1. A copy of its license can be found at <https://jsoup.org/license>
- jsr305, version 3.0.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- jsr311-api, version 1.1.1. A copy of its license can be found at <http://www.opensource.org/licenses/cddl1.php>
- jul-to-slf4j, version 1.7.26. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>

- jul-to-slf4j, version 1.7.36. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- junit, version 4.12. A copy of its license can be found at <http://www.eclipse.org/legal/epl-v10.html>
- kafka-clients, version 3.3.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- kafka-clients, version 3.8.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- listenablefuture, version 9999.0-empty-to-avoid-conflict-with-guava. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- log4j-api, version 2.17.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- log4j-over-slf4j, version 1.7.26. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- log4j-over-slf4j, version 1.7.7. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- log4j-to-slf4j, version 2.17.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- logback-classic, version 1.1.11. A copy of its license can be found at <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
- logback-classic, version 1.2.13. A copy of its license can be found at <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
- logback-core, version 1.1.11. A copy of its license can be found at <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
- logback-core, version 1.2.13. A copy of its license can be found at <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
- lombok, version 1.18.20. A copy of its license can be found at <https://projectlombok.org/LICENSE>
- lombok, version 1.18.24. A copy of its license can be found at <https://projectlombok.org/LICENSE>
- lz4-java, version 1.8.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- mapstruct, version 1.2.0.Final. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- mapstruct-processor, version 1.2.0.Final. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- mockito-core, version 1.9.5. A copy of its license can be found at <http://code.google.com/p/mockito/wiki/License>
- mssql-jdbc, version 8.2.2.jre8. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- mysema-commons-lang, version 0.2.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- neethi, version 3.2.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- neko-htmlunit, version 2.23. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- neko-htmlunit, version 2.25. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- netty, version 3.5.7.Final. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- objenesis, version 1.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- org.apache.sling.javax.activation, version 0.1.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- owasp-java-html-sanitizer, version 20181114.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- owasp-java-html-sanitizer, version 20220608.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- passay, version 1.6.4. A copy of its license can be found at <http://www.gnu.org/licenses/lgpl-3.0.txt>
- phantomjsdriver, version 1.3.0. A copy of its license can be found at <http://opensource.org/licenses/BSD-2-Clause>
- phantomjsdriver, version 1.4.0. A copy of its license can be found at <http://opensource.org/licenses/BSD-2-Clause>
- plexus-utils, version 3.1.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- plexus-utils, version 3.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- portlet-api, version 1.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- powermock-core, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- powermock-module-testng, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- powermock-module-testng-common, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- powermock-reflect, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- prefixmap, version 1.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-apt, version 3.7.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-apt, version 4.1.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-codegen, version 3.7.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-codegen, version 4.1.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-codegen, version 5.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-core, version 3.7.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- querydsl-core, version 4.1.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-core, version 5.0.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- querydsl-jpa, version 4.1.4. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- reflections, version 0.9.9. A copy of its license can be found at <http://www.wtfpl.net/>
- rest-assured, version 3.0.5. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- rest-assured, version 3.3.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- rest-assured-common, version 3.0.5. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- rest-assured-common, version 3.3.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- rome, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- rome-utils, version 1.5.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- sac, version 1.3. A copy of its license can be found at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>
- selenium, version 4.0.0. A copy of its license can be found at <https://www.mozilla.org/MPL/2.0/>
- selenium-api, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-api, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-chrome-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-chrome-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-edge-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-edge-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-firefox-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-firefox-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-ie-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-ie-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-java, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- selenium-java, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-opera-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-opera-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-remote-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-remote-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-safari-driver, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-safari-driver, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-support, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- selenium-support, version 3.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- serializer, version 2.7.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- serializer, version 2.7.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- slf4j-api, version 1.7.25. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- slf4j-api, version 1.7.32. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- slf4j-api, version 1.7.36. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- slf4j-api, version 2.0.11. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license.php>
- snakeyaml, version 1.17. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- snakeyaml, version 1.6. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- snappy-java, version 1.1.10.5. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.html>
- snappy-java, version 1.1.8.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.html>
- spring-aop, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-aop, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-aop, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-aspects, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>

- spring-aspects, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-beans, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-beans, version 5.0.5.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- spring-beans, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-beans, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-autoconfigure, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-autoconfigure, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-aop, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-aop, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-data-jpa, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-data-jpa, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-data-rest, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-data-rest, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-hateoas, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-hateoas, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-jdbc, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-jdbc, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-json, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-logging, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>

- spring-boot-starter-logging, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-security, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-security, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-tomcat, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-tomcat, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-validation, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-validation, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-web, version 1.5.22.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-boot-starter-web, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-context, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-context, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-context, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-core, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-core, version 5.0.5.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- spring-core, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-core, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-commons, version 1.13.23.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-commons, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-jpa, version 1.11.23.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-jpa, version 2.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-rest-core, version 2.6.23.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-rest-core, version 3.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-data-rest-webmvc, version 2.6.23.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>

- spring-data-rest-webmvc, version 3.7.18. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-expression, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-expression, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-expression, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-hateoas, version 0.23.0.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- spring-hateoas, version 1.5.6. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-jcl, version 5.0.5.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- spring-jcl, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-jcl, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-jdbc, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-jdbc, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-orm, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-orm, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-plugin-core, version 1.2.0.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- spring-plugin-core, version 2.0.0.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-security-config, version 4.2.13.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- spring-security-config, version 5.7.11. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-security-core, version 4.2.13.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- spring-security-core, version 5.7.11. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-security-crypto, version 5.7.11. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-security-web, version 4.2.13.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- spring-security-web, version 5.7.11. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-test, version 3.1.2.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- spring-test, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-tx, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-tx, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-web, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-web, version 5.0.5.RELEASE. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- spring-web, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-web, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-webmvc, version 4.3.25.RELEASE. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-webmvc, version 5.3.33. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- spring-webmvc, version 5.3.39. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0>
- sqljdbc4, version 4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- stax-ex, version 1.8. A copy of its license can be found at https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
- stax2-api, version 4.2.1. A copy of its license can be found at <http://www.opensource.org/licenses/bsd-license.php>
- swagger-annotations, version 1.5.15. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- tag-expressions, version 1.1.1. A copy of its license can be found at <http://www.opensource.org/licenses/mit-license>
- tagsoup, version 1.2.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- testng, version 6.8.5. A copy of its license can be found at <http://apache.org/licenses/LICENSE-2.0>
- tomcat-annotations-api, version 8.5.43. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-embed-core, version 8.5.43. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-embed-core, version 9.0.83. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-embed-el, version 8.5.43. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-embed-el, version 9.0.83. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-embed-websocket, version 8.5.43. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- tomcat-embed-websocket, version 9.0.83. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-jdbc, version 8.5.43. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- tomcat-juli, version 8.5.43. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- txw2, version 2.3.1. A copy of its license can be found at http://glassfish.java.net/public/CDDL+GPL_1_1.html
- txw2, version 2.3.9. A copy of its license can be found at <https://www.gnu.org/software/classpath/license.html>
- validation-api, version 2.0.1.Final. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- velocity, version 1.7. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- velocity-engine-core, version 2.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- velocity-tools, version 1.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- webdrivermanager, version 3.7.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0>
- websocket-api, version 9.2.18.v20160721. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- websocket-api, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- websocket-client, version 9.2.18.v20160721. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- websocket-client, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- websocket-common, version 9.2.18.v20160721. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- websocket-common, version 9.4.3.v20170317. A copy of its license can be found at <http://www.eclipse.org/org/documents/epl-v10.php>
- woden-core, version 1.0M10. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- woodstox-core, version 6.2.8. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- wsdl4j, version 1.6.3. A copy of its license can be found at <http://www.opensource.org/licenses/cpl1.0.txt>
- xalan, version 2.7.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xalan, version 2.7.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xerces, version 1.4.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xercesImpl, version 2.11.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- xercesImpl, version 2.12.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xercesImpl, version 2.6.2. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xercesImpl, version 2.8.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xml-apis, version 1.3.04. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xml-apis, version 1.4.01. A copy of its license can be found at <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip>
- xml-path, version 3.0.5. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- xml-path, version 3.3.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.html>
- xmlbeans, version 3.0.1. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xmlbeans, version 3.1.0. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xmlschema-core, version 2.3.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- xmlunit-core, version 2.6.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- xmlunit-matchers, version 2.6.3. A copy of its license can be found at <http://www.apache.org/licenses/LICENSE-2.0.txt>
- yauaa, version 5.14.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- zstd-jni, version 1.5.2-1. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-Clause>
- zstd-jni, version 1.5.6-3. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-Clause>

Appshell Attributions

- aashutoshrathi/word-wrap, version 1.2.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- adobe/css-tools, version 4.3.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- alloc/quick-lru, version 5.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ampproject/remapping, version 2.3.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- apideck/better-ajv-errors, version 0.3.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/code-frame, version 7.22.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/code-frame, version 7.24.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/code-frame, version 7.26.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/compat-data, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/core, version 7.24.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/eslint-parser, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/generator, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-annotate-as-pure, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-builder-binary-assignment-operator-visitor, version 7.22.15. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-compilation-targets, version 7.23.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-create-class-features-plugin, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-create-regexp-features-plugin, version 7.22.15. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-define-polyfill-provider, version 0.6.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-environment-visitor, version 7.22.20. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-function-name, version 7.23.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-hoist-variables, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-member-expression-to-functions, version 7.23.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- babel/helper-module-imports, version 7.24.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-module-transforms, version 7.23.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-optimize-call-expression, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-plugin-utils, version 7.24.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-remap-async-to-generator, version 7.22.20. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-replace-supers, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-simple-access, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-skip-transparent-expression-wrappers, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-split-export-declaration, version 7.22.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-string-parser, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-validator-identifier, version 7.22.20. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-validator-identifier, version 7.25.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-validator-option, version 7.23.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helper-wrap-function, version 7.22.20. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/helpers, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/highlight, version 7.22.20. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/highlight, version 7.24.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/parser, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-bugfix-v8-static-class-fields-redefine-readonly, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-proposal-class-properties, version 7.18.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-proposal-decorators, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- babel/plugin-proposal-nullish-coalescing-operator, version 7.18.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-proposal-numeric-separator, version 7.18.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-proposal-optional-chaining, version 7.21.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-proposal-private-methods, version 7.18.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-proposal-private-property-in-object, version 7.21.0-placeholder-for-preset-env.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-async-generators, version 7.8.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-bigint, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-class-properties, version 7.12.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-class-static-block, version 7.14.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-decorators, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-dynamic-import, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-export-namespace-from, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-flow, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-import-assertions, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-import-attributes, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-import-meta, version 7.10.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-json-strings, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-jsx, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-logical-assignment-operators, version 7.10.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-nullish-coalescing-operator, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-numeric-separator, version 7.10.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-object-rest-spread, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-optional-catch-binding, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- babel/plugin-syntax-optional-chaining, version 7.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-private-property-in-object, version 7.14.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-top-level-await, version 7.14.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-typescript, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-syntax-unicode-sets-regex, version 7.18.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-arrow-functions, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-async-generator-functions, version 7.24.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-async-to-generator, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-block-scoped-functions, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-block-scoping, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-class-properties, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-class-static-block, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-classes, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-computed-properties, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-destructuring, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-dotall-regex, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-duplicate-keys, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-dynamic-import, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-exponentiation-operator, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-export-namespace-from, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-flow-strip-types, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-for-of, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-function-name, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- babel/plugin-transform-json-strings, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-literals, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-logical-assignment-operators, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-member-expression-literals, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-modules-amd, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-modules-commonjs, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-modules-systemjs, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-modules-umd, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-named-capturing-groups-regex, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-new-target, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-nullish-coalescing-operator, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-numeric-separator, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-object-rest-spread, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-object-super, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-optional-catch-binding, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-optional-chaining, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-parameters, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-private-methods, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-private-property-in-object, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-property-literals, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-react-constant-elements, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-react-display-name, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-react-jsx-development, version 7.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- babel/plugin-transform-react-jsx, version 7.23.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-react-pure-annotations, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-regenerator, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-reserved-words, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-runtime, version 7.24.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-shorthand-properties, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-spread, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-sticky-regex, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-template-literals, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-typeof-symbol, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-typescript, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-unicode-escapes, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-unicode-property-regex, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-unicode-regex, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/plugin-transform-unicode-sets-regex, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/preset-env, version 7.24.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/preset-modules, version 0.1.6-no-external-plugins. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/preset-react, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/preset-typescript, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/regjsgen, version 0.8.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/runtime, version 7.26.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/template, version 7.24.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- babel/traverse, version 7.24.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- babel/types, version 7.24.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bcoe/v8-coverage, version 0.2.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- craco/craco, version 5.9.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- csstools/normalize.css, version 12.1.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-cascade-layers, version 1.1.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-color-function, version 1.1.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-font-format-keywords, version 1.0.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-hwb-function, version 1.0.2. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-ic-unit, version 1.0.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-is-pseudo-class, version 2.0.7. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-nested-calc, version 1.0.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-normalize-display-values, version 1.0.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-oklab-function, version 1.1.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-progressive-custom-properties, version 1.3.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-stepped-value-functions, version 1.0.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-text-decoration-shorthand, version 1.0.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-trigonometric-functions, version 1.0.2. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/postcss-unset-value, version 1.0.2. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- csstools/selector-specificity, version 2.2.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- date-io/core, version 1.3.13. A copy of its license can be found at <https://opensource.org/license/MIT>
- date-io/core, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- date-io/date-fns, version 1.3.13. A copy of its license can be found at <https://opensource.org/license/MIT>
- date-io/luxon, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- emotion/babel-plugin, version 11.12.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/cache, version 11.13.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/css, version 11.11.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/hash, version 0.8.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/hash, version 0.9.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/is-prop-valid, version 1.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/memoize, version 0.8.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/memoize, version 0.9.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/react, version 11.13.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/serialize, version 1.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/sheet, version 1.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/styled, version 11.11.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/unitless, version 0.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/use-insertion-effect-with-fallbacks, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/utils, version 1.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- emotion/weak-memoize, version 0.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-community/eslint-utils, version 4.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-community/regexpp, version 4.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint/eslintrc, version 2.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint/js, version 8.57.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- floating-ui/core, version 1.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- floating-ui/dom, version 1.6.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- floating-ui/react-dom, version 2.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- floating-ui/utils, version 0.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- humanwhocodes/config-array, version 0.11.14. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- humanwhocodes/module-importer, version 1.0.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- humanwhocodes/object-schema, version 2.0.2. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- isaacs/cliui, version 8.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- istanbuljs/load-nyc-config, version 1.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- istanbuljs/schema, version 0.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/console, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/console, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/core, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/environment, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/expect-utils, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/fake-timers, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/globals, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/reporters, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/schemas, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/schemas, version 29.6.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/source-map, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/test-result, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/test-result, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/test-sequencer, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/transform, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/types, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- jest/types, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest/types, version 29.6.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jridgewell/gen-mapping, version 0.3.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jridgewell/resolve-uri, version 3.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jridgewell/set-array, version 1.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jridgewell/source-map, version 0.3.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jridgewell/sourcemap-codec, version 1.4.15. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jridgewell/trace-mapping, version 0.3.25. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- leichtgewicht/ip-codec, version 2.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/core, version 4.12.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/icons, version 4.11.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/lab, version 4.0.0-alpha.61. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/pickers, version 3.3.11. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/styles, version 4.11.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/system, version 4.12.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/types, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- material-ui/utils, version 4.11.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- mui/base, version 5.0.0-beta.40. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- mui/core-downloads-tracker, version 5.15.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- mui/material, version 5.15.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- mui/private-theming, version 5.16.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- mui/styled-engine, version 5.16.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- mui/system, version 5.16.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- mui/types, version 7.2.19. A copy of its license can be found at <https://opensource.org/license/MIT>
- mui/utils, version 5.16.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- mui/x-date-pickers, version 6.19.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- mui/x-tree-view, version 7.8.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- navikt/craco-plugins, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- nicolo-ribaudo/eslint-scope-5-internals, version 5.1.1-v1. A copy of its license can be found at <https://opensource.org/license/MIT>
- nodelib/fs.scandir, version 2.1.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- nodelib/fs.stat, version 2.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- nodelib/fs.walk, version 1.2.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- pkgjs/parseargs, version 0.11.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pmmwh/react-refresh-webpack-plugin, version 0.5.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- popperjs/core, version 2.11.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- reduxjs/toolkit, version 1.9.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- remix-run/router, version 1.6.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- rollup/plugin-babel, version 5.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- rollup/plugin-node-resolve, version 11.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- rollup/plugin-replace, version 2.4.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- rollup/pluginutils, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- rtsao/scc, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- rushstack/eslint-patch, version 1.8.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- sinclair/typebox, version 0.24.51. A copy of its license can be found at <https://opensource.org/license/MIT>
- sinclair/typebox, version 0.27.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- sinonjs/commons, version 1.8.6. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>

- sinonjs/fake-timers, version 8.1.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-3-clause>
- socket.io/component-emitter, version 3.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- surma/rollup-plugin-off-main-thread, version 2.2.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- svgr/babel-plugin-add-jsx-attribute, version 5.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-remove-jsx-attribute, version 5.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-remove-jsx-empty-expression, version 5.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-replace-jsx-attribute-value, version 5.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-svg-dynamic-title, version 5.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-svg-em-dimensions, version 5.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-transform-react-native-svg, version 5.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-plugin-transform-svg-component, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/babel-preset, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/core, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/hast-util-to-babel-ast, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/plugin-jsx, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/plugin-svgo, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- svgr/webpack, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- tanstack/query-core, version 4.36.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- tanstack/react-query, version 4.36.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- testing-library/dom, version 8.20.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- testing-library/dom, version 9.3.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- testing-library/jest-dom, version 5.17.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- testing-library/react, version 12.1.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- testing-library/user-event, version 13.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- tootallnate/once, version 1.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- trysound/sax, version 0.2.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- types/aria-query, version 5.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/babel__core, version 7.20.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/babel__generator, version 7.6.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/babel__template, version 7.4.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/babel__traverse, version 7.20.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/body-parser, version 1.19.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/bonjour, version 3.5.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/connect-history-api-fallback, version 1.5.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/connect, version 3.4.38. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/cookie, version 0.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/cors, version 2.8.17. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/eslint-scope, version 3.7.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/eslint, version 7.29.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/eslint, version 8.56.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/estree, version 0.0.39. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/estree, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/estree, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/estree, version 1.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/express-serve-static-core, version 4.17.43. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/express, version 4.17.21. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- types/graceful-fs, version 4.1.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/hoist-non-react-statics, version 3.3.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/html-minifier-terser, version 6.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/http-errors, version 2.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/http-proxy, version 1.17.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/istanbul-lib-coverage, version 2.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/istanbul-lib-report, version 3.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/istanbul-reports, version 3.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/jest, version 29.5.12. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/json-schema, version 7.0.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/json-schema, version 7.0.15. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/json5, version 0.0.29. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/mime, version 1.3.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/node-forge, version 1.3.11. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/node, version 20.11.30. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/node, version 20.8.10. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/parse-json, version 4.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/prettier, version 2.7.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/prop-types, version 15.7.12. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/q, version 1.5.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/qs, version 6.9.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/range-parser, version 1.2.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/react-dom, version 17.0.25. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- types/react-redux, version 7.1.33. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/react-transition-group, version 4.4.10. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/react, version 17.0.80. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/resolve, version 1.17.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/retry, version 0.12.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/scheduler, version 0.16.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/semver, version 7.5.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/send, version 0.17.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/serve-index, version 1.9.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/serve-static, version 1.15.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/sockjs, version 0.3.36. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/stack-utils, version 2.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/styled-jsx, version 2.2.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/testing-library__jest-dom, version 5.14.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/trusted-types, version 2.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/use-sync-external-store, version 0.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/ws, version 8.5.10. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/yargs-parser, version 21.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/yargs, version 16.0.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- types/yargs, version 17.0.32. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- typescript-eslint/eslint-plugin, version 5.62.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- typescript-eslint/experimental-utils, version 5.62.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- typescript-eslint/parser, version 5.62.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- typescript-eslint/parser, version 5.62.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-2-clause>

- typescript-eslint/scope-manager, version 5.62.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- typescript-eslint/type-utils, version 5.62.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- typescript-eslint/types, version 5.62.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- typescript-eslint/typescript-estree, version 5.62.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- typescript-eslint/utils, version 5.62.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- typescript-eslint/visitor-keys, version 5.62.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- ungap/structured-clone, version 1.2.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- webassemblyjs/ast, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/floating-point-hex-parser, version 1.11.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/helper-api-error, version 1.11.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/helper-buffer, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/helper-numbers, version 1.11.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/helper-wasm-bytecode, version 1.11.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/helper-wasm-section, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/ieee754, version 1.11.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/leb128, version 1.11.6. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- webassemblyjs/utf8, version 1.11.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/wasm-edit, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/wasm-gen, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/wasm-opt, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/wasm-parser, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- webassemblyjs/wast-printer, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- xtuc/ieee754, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>

- xtuc/long, version 4.2.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- abab, version 2.0.6. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-3-clause>
- abbrev, version 1.0.9. A copy of its license can be found at <https://www.isc.org/licenses/>
- abbrev, version 1.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- accepts, version 1.2.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- accepts, version 1.3.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- acorn-globals, version 6.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- acorn-import-assertions, version 1.9.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- acorn-jsx, version 5.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- acorn-walk, version 7.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- acorn, version 7.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- acorn, version 8.11.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- active-x-obfuscator, version 0.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- address, version 1.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- adjust-sourcemap-loader, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- agent-base, version 6.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ajv-formats, version 2.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ajv-keywords, version 3.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ajv-keywords, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ajv, version 4.11.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ajv, version 6.12.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ajv, version 8.12.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- align-text, version 0.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- amdefine, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/BSD-3-clause> OR <https://opensource.org/licenses/MIT>
- ansi-escapes, version 4.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ansi-html-community, version 0.0.8. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- ansi-regex, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-regex, version 3.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-regex, version 4.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-regex, version 5.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-regex, version 6.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-styles, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-styles, version 2.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-styles, version 3.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-styles, version 4.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-styles, version 5.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- ansi-styles, version 6.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- any-promise, version 1.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- anymatch, version 1.3.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- anymatch, version 2.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- anymatch, version 3.1.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- apache-crypt, version 1.2.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- apache-md5, version 1.1.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- arg, version 5.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- argparse, version 0.1.16. A copy of its license can be found at <https://opensource.org/license/MIT>
- argparse, version 1.0.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- argparse, version 2.0.1. A copy of its license can be found at <https://www.python.org/download/releases/2.0/license/>
- aria-query, version 5.1.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- aria-query, version 5.3.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- arr-diff, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- arr-diff, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- arr-flatten, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- arr-union, version 3.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-buffer-byte-length, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-buffer-byte-length, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-differ, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-find-index, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-flatten, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-includes, version 3.1.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-includes, version 3.1.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-union, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-union, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-uniq, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-unique, version 0.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array-unique, version 0.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.findlast, version 1.2.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.findlastindex, version 1.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.findlastindex, version 1.2.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.flat, version 1.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.flatmap, version 1.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.reduce, version 1.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.toreversed, version 1.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- array.prototype.tosorted, version 1.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- arraybuffer.prototype.slice, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- `arraybuffer.prototype.slice`, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `arrify`, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `asap`, version 2.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `asn1`, version 0.2.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `assert-plus`, version 0.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `assert-plus`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `assign-symbols`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ast-types-flow`, version 0.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `astral-regex`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async-each-series`, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async-each`, version 1.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async`, version 0.1.22. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async`, version 0.2.10. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async`, version 0.9.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async`, version 1.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async`, version 2.6.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `async`, version 3.2.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `asynckit`, version 0.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `at-least-node`, version 1.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- `atob`, version 2.1.2. A copy of its license can be found at (<https://opensource.org/licenses/MIT> OR <https://www.apache.org/licenses/LICENSE-2.0.txt>)
- `autobind-decorator`, version 2.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `autoprefixer`, version 10.4.19. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `available-typed-arrays`, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `available-typed-arrays`, version 1.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `aws-sign2`, version 0.6.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- `aws-sign2`, version 0.7.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- batch, version 0.5.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- batch, version 0.6.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- bcrypt-pbkdf, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- bcryptjs, version 2.4.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bfj, version 7.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- big.js, version 5.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- binary-extensions, version 1.13.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- binary-extensions, version 2.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bl, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bluebird, version 3.7.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- body-parser, version 1.13.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- body-parser, version 1.20.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- body, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bonjour-service, version 1.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- boolbase, version 1.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- boom, version 2.10.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- bootstrap-base, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bootstrap-json-schema, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bootstrap-openapi, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bootstrap, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- bootstrap, version 3.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- brace-expansion, version 1.1.11. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- brace-expansion, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- braces, version 1.8.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- braces, version 2.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- braces, version 3.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- browser-process-hrtime, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>

- browser-sync-client, version 2.29.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- browser-sync-ui, version 2.29.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- browser-sync, version 2.29.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- browserslist, version 4.23.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bs-recipes, version 1.3.4. A copy of its license can be found at <https://www.isc.org/licenses/>
- bser, version 2.1.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- buffer-crc32, version 0.2.13. A copy of its license can be found at <https://opensource.org/license/MIT>
- buffer-from, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- builtin-modules, version 3.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bytes, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bytes, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bytes, version 2.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bytes, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- bytes, version 3.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- cache-base, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- call-bind, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- call-bind, version 1.0.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- callsites, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- camel-case, version 4.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- camelcase-css, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- camelcase, version 1.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- camelcase, version 4.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- camelcase, version 5.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- camelcase, version 6.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- caniuse-api, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- caniuse-lite, version 1.0.30001600. A copy of its license can be found at <https://creativecommons.org/licenses/by/4.0/deed.en>
- case-sensitive-paths-webpack-plugin, version 2.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- caseless, version 0.11.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- caseless, version 0.12.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- center-align, version 0.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- chalk, version 0.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- chalk, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- chalk, version 2.4.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- chalk, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- chalk, version 4.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- char-regex, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- char-regex, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- chardet, version 0.7.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- check-types, version 11.2.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- cheerio, version 0.19.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- cheerio, version 0.22.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- chokidar, version 1.7.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- chokidar, version 2.1.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- chokidar, version 3.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- chrome-trace-event, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- ci-info, version 3.9.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- cjs-module-lexer, version 1.2.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- clarify, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- class-utils, version 0.3.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- classnames, version 2.5.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- clean-css, version 5.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>

- cli-cursor, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- cli-width, version 3.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- cli, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- cliui, version 2.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- cliui, version 3.2.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- cliui, version 5.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- cliui, version 7.0.4. A copy of its license can be found at <https://www.isc.org/licenses/>
- cliui, version 8.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- clsx, version 1.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- clsx, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- clsx, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- co, version 4.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- coa, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- code-point-at, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- coffee-script, version 1.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- collect-v8-coverage, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- collection-visit, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- color-convert, version 1.9.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- color-convert, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- color-name, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- color-name, version 1.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- colord, version 2.9.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- colorette, version 2.0.20. A copy of its license can be found at <https://opensource.org/license/MIT>
- colors, version 1.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- combined-stream, version 1.0.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- commander, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- commander, version 2.19.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- commander, version 2.20.3. A copy of its license can be found at <https://opensource.org/license/MIT>

- commander, version 4.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- commander, version 7.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- commander, version 8.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- common-path-prefix, version 3.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- common-tags, version 1.8.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- commondir, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- component-emitter, version 1.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- component-emitter, version 1.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- compressible, version 2.0.18. A copy of its license can be found at <https://opensource.org/license/MIT>
- compression, version 1.5.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- compression, version 1.7.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- concat-map, version 0.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- concat-stream, version 1.5.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- concat-stream, version 1.6.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- concurrently, version 8.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- confusing-browser-globals, version 1.0.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect-history-api-fallback, version 1.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect-history-api-fallback, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect-livereload, version 0.5.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect-modrewrite, version 0.10.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect-timeout, version 1.6.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect, version 2.30.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- connect, version 3.6.6. A copy of its license can be found at <https://opensource.org/license/MIT>

- connect, version 3.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- console-browserify, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- content-disposition, version 0.5.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- content-type, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- continuable-cache, version 0.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- convert-source-map, version 1.9.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- convert-source-map, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cookie-parser, version 1.3.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cookie-signature, version 1.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cookie, version 0.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cookie, version 0.4.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cookie, version 0.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- copy-descriptor, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- core-js-compat, version 3.36.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- core-js-pure, version 3.36.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- core-js, version 3.36.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- core-util-is, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- core-util-is, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cors, version 2.8.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cosmiconfig, version 6.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cosmiconfig, version 7.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- crc, version 3.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cross-fetch, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cross-spawn, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cross-spawn, version 6.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- cross-spawn, version 7.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- cryptiles, version 2.0.5. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- crypto-random-string, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- csrf, version 3.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-blank-pseudo, version 3.0.3. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- css-box-model, version 1.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-declaration-sorter, version 6.4.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- css-has-pseudo, version 3.0.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- css-loader, version 6.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-minimizer-webpack-plugin, version 3.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-prefers-color-scheme, version 6.0.3. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- css-select-base-adapter, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-select, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>
- css-select, version 1.2.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>
- css-select, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- css-select, version 4.3.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- css-tree, version 1.0.0-alpha.37. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-tree, version 1.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-vendor, version 2.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- css-what, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>
- css-what, version 2.1.3. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- css-what, version 3.4.2. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- css-what, version 6.1.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>

- `css.escape`, version 1.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `css`, version 2.2.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssaaron`, version 1.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssdb`, version 7.11.2. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- `cssesc`, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssnano-preset-default`, version 5.2.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssnano-utils`, version 3.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssnano`, version 5.1.15. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `csso`, version 4.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssom`, version 0.3.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssom`, version 0.4.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `cssstyle`, version 2.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `csstype`, version 2.6.21. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `csstype`, version 3.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `csurf`, version 1.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize-cra`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize-engine-handlebars`, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize-engine-less`, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize-engine-uglify`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize-watch`, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize-write-files`, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `customize`, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `damerau-levenshtein`, version 1.0.8. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- `dashdash`, version 1.14.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `data-urls`, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- data-view-buffer, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- data-view-byte-length, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- data-view-byte-offset, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- date-fns-tz, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- date-fns, version 2.30.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- date-now, version 0.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- dateformat, version 1.0.2-1.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 0.7.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 2.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 2.6.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 3.2.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 4.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 4.3.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debug, version 4.3.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- debuglog, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- decamelize, version 1.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- decimal.js, version 10.4.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- decode-uri-component, version 0.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- dedent, version 0.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- deep-a-plus, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- deep-equal, version 2.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- deep-is, version 0.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- deepmerge, version 4.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- default-gateway, version 6.0.3. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- define-data-property, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- define-data-property, version 1.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- define-lazy-prop, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- define-properties, version 1.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- define-property, version 0.2.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- define-property, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- define-property, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- delayed-stream, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- depd, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- depd, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- depd, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- dequal, version 2.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- destroy, version 1.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- destroy, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- detect-newline, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- detect-node-es, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- detect-node, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- detect-port-alt, version 1.1.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- dev-ip, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- dezalgo, version 1.0.4. A copy of its license can be found at <https://www.isc.org/licenses/>
- di, version 0.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- didyoumean, version 1.2.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- diff-sequences, version 27.5.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- diff-sequences, version 29.6.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- dir-glob, version 3.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- dlv, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- dns-packet, version 5.6.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- doctrine, version 2.1.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- doctrine, version 3.0.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- dom-accessibility-api, version 0.5.16. A copy of its license can be found at <https://opensource.org/license/MIT>
- dom-converter, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- dom-helpers, version 5.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- dom-serializer, version 0.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- dom-serializer, version 0.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- dom-serializer, version 1.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- domelementtype, version 1.3.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- domelementtype, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- domexception, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- domhandler, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- domhandler, version 2.4.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- domhandler, version 4.3.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- dompurify, version 2.4.9. A copy of its license can be found at (<https://www.mozilla.org/en-US/MPL/2.0/> OR <https://www.apache.org/licenses/LICENSE-2.0.txt>)
- domutils, version 1.4.3. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- domutils, version 1.5.1. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- domutils, version 1.7.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- domutils, version 2.8.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- dot-case, version 3.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- dotenv-expand, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- dotenv, version 10.0.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- duplexer2, version 0.0.2. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- duplexer, version 0.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>

- eastasianwidth, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- easy-extender, version 2.3.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- eazy-logger, version 4.0.1. A copy of its license can be found at Apache 2.0
- ecc-jsbn, version 0.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- ee-first, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ejs, version 3.1.9. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- electron-to-chromium, version 1.4.717. A copy of its license can be found at <https://www.isc.org/licenses/>
- emittery, version 0.10.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- emittery, version 0.8.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- emoji-regex, version 7.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- emoji-regex, version 8.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- emoji-regex, version 9.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- emojis-list, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- encodeurl, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- engine.io-client, version 6.5.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- engine.io-parser, version 5.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- engine.io, version 6.5.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- enhanced-resolve, version 5.16.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- entities, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- entities, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- entities, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- entities, version 3.0.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- errno, version 0.1.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- error-ex, version 1.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>

- error-stack-parser, version 2.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- error, version 7.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- errorhandler, version 1.4.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-abstract, version 1.22.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-abstract, version 1.23.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-abstract, version 1.23.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-array-method-boxes-properly, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-define-property, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-errors, version 1.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-get-iterator, version 1.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-iterator-helpers, version 1.0.18. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-module-lexer, version 1.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-object-atoms, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-set-tostringtag, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-set-tostringtag, version 2.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-shim-unscopables, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-shim-unscopables, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es-to-primitive, version 1.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es5-shim, version 4.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- es6-promise, version 4.2.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- escalade, version 3.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- escape-html, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- escape-html, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- `escape-string-regexp`, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `escape-string-regexp`, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `escape-string-regexp`, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `escodegen`, version 1.14.3. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- `escodegen`, version 1.8.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- `escodegen`, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- `eslint-config-react-app`, version 7.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-config-semistandard`, version 15.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- `eslint-config-standard`, version 13.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-formatter-pretty`, version 4.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-import-resolver-node`, version 0.3.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-module-utils`, version 2.12.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-module-utils`, version 2.8.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-module-utils`, version 2.8.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-es`, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-flowtype`, version 8.0.3. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- `eslint-plugin-import`, version 2.28.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-import`, version 2.29.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-import`, version 2.31.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-jest`, version 25.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-jsx-a11y`, version 6.8.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-node`, version 10.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `eslint-plugin-promise`, version 4.3.1. A copy of its license can be found at <https://www.isc.org/licenses/>

- eslint-plugin-react-hooks, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-plugin-react, version 7.34.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-plugin-standard, version 4.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-plugin-testing-library, version 5.11.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-rule-docs, version 1.1.235. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-scope, version 5.1.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- eslint-scope, version 7.2.2. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- eslint-utils, version 1.4.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint-visitor-keys, version 1.3.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- eslint-visitor-keys, version 2.1.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- eslint-visitor-keys, version 3.4.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- eslint-webpack-plugin, version 3.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint, version 6.8.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eslint, version 8.57.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- espree, version 6.2.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- espree, version 9.6.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- esprima, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>
- esprima, version 1.2.2. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>
- esprima, version 2.7.3. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- esprima, version 4.0.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- esquery, version 1.5.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- esquery, version 1.6.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- esrecurse, version 4.3.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- estraverse, version 1.9.3. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>

- estraverse, version 4.3.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-2-clause>
- estraverse, version 5.3.0. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-2-clause>
- estree-walker, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- esutils, version 2.0.3. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-2-clause>
- etag, version 1.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- etag, version 1.8.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- event-stream, version 3.3.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eventemitter2, version 0.4.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- eventemitter3, version 4.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- events, version 3.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- execa, version 0.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- execa, version 5.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- exit, version 0.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- expand-brackets, version 0.1.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- expand-brackets, version 2.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- expand-range, version 1.8.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- expect, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- expect, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- express-session, version 1.11.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- express, version 4.19.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- extend-shallow, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- extend-shallow, version 3.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- extend, version 3.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- external-editor, version 3.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- extglob, version 0.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- extglob, version 2.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- extjs-commercial, version 6.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- extract-zip, version 1.5.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- extract-zip, version 1.7.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- extsprintf, version 1.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- fast-deep-equal, version 3.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- fast-glob, version 3.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- fast-json-stable-stringify, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- fast-levenshtein, version 2.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- fastq, version 1.17.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- faye-websocket, version 0.10.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- faye-websocket, version 0.11.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- fb-watchman, version 2.0.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- fd-slicer, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- fd-slicer, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- figures, version 1.7.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- figures, version 3.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- file-entry-cache, version 5.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- file-entry-cache, version 6.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- file-loader, version 6.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- file-sync-cmp, version 0.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- filelist, version 1.0.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- filename-regexp, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- filesize, version 8.0.7. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- fill-range, version 2.2.4. A copy of its license can be found at <https://opensource.org/license/MIT>

- fill-range, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- fill-range, version 7.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- finalhandler, version 0.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- finalhandler, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- finalhandler, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- finalhandler, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-cache-dir, version 3.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-root, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-up, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-up, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-up, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-up, version 4.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- find-up, version 5.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- findup-sync, version 0.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- findup-sync, version 0.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- flat-cache, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- flat-cache, version 3.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- flatted, version 2.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- flatted, version 3.3.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- focus-lock, version 1.3.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- follow-redirects, version 1.15.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- for-each, version 0.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- for-in, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- for-own, version 0.1.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- foreground-child, version 3.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- forever-agent, version 0.6.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- fork-ts-checker-webpack-plugin, version 6.5.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- form-data, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- form-data, version 2.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- form-data, version 2.3.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- form-data, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- form-data, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- forwarded, version 0.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fraction.js, version 4.3.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fragment-cache, version 0.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fresh, version 0.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fresh, version 0.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- from, version 0.1.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-extra, version 0.26.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-extra, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-extra, version 10.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-extra, version 2.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-extra, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-extra, version 9.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- fs-monkey, version 1.0.5. A copy of its license can be found at <https://unlicense.org/>
- fs.realpath, version 1.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- fsevents, version 2.3.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- function-bind, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- function-bind, version 1.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- function.prototype.name, version 1.1.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- functional-red-black-tree, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- functions-have-names, version 1.2.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- gaze, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- generate-function, version 2.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- generate-object-property, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- gensync, version 1.0.0-beta.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-caller-file, version 1.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- get-caller-file, version 2.0.5. A copy of its license can be found at <https://www.isc.org/licenses/>
- get-intrinsic, version 1.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-intrinsic, version 1.2.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-own-enumerable-property-symbols, version 3.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- get-package-type, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-promise, version 1.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-stream, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-stream, version 6.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-symbol-description, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-symbol-description, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- get-value, version 2.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- getobject, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- getpass, version 0.1.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- glob-base, version 0.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- glob-parent, version 2.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- glob-parent, version 3.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- glob-parent, version 5.1.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- glob-parent, version 6.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- glob-to-regexp, version 0.4.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- glob, version 10.3.10. A copy of its license can be found at <https://www.isc.org/licenses/>

- glob, version 3.1.21. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- glob, version 3.2.11. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- glob, version 5.0.15. A copy of its license can be found at <https://www.isc.org/licenses/>
- glob, version 7.1.7. A copy of its license can be found at <https://www.isc.org/licenses/>
- glob, version 7.2.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- global-modules, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- global-prefix, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- globals, version 11.12.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- globals, version 12.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- globals, version 13.24.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- globalthis, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- globalthis, version 1.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- globby, version 11.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- globule, version 1.3.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- gopd, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- graceful-fs, version 1.2.3. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- graceful-fs, version 3.0.12. A copy of its license can be found at <https://www.isc.org/licenses/>
- graceful-fs, version 4.2.11. A copy of its license can be found at <https://www.isc.org/licenses/>
- graphemer, version 1.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- grunt-cli, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- grunt-contrib-clean, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- grunt-contrib-concat, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- grunt-contrib-connect, version 0.11.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- grunt-contrib-copy, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- grunt-contrib-jasmine, version 0.8.2-jstest. A copy of its license can be found at <https://opensource.org/license/MIT>

- grunt-contrib-jasmine, version 1.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-contrib-jshint, version 3.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-contrib-uglify, version 3.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-contrib-watch, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-eslint, version 22.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-legacy-log-utils, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-legacy-log, version 0.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-legacy-util, version 0.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-lib-phantomjs, version 0.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-lib-phantomjs, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-open, version 0.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-sencha-build, version 0.1.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt-template-jasmine-istanbul, version 0.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- grunt, version 0.4.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- gzip-size, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- gzip-size, version 6.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- handle-thing, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- handlebars, version 3.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- handlebars, version 4.7.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- har-schema, version 1.0.5. A copy of its license can be found at <https://www.isc.org/licenses/>
- har-schema, version 2.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- har-validator, version 2.0.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- har-validator, version 4.2.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- har-validator, version 5.1.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- harmony-reflect, version 1.6.2. A copy of its license can be found at (<https://www.apache.org/licenses/LICENSE-2.0.txt> OR <https://www.mozilla.org/en-US/MPL/1.1/>)
- has-ansi, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-bigints, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-color, version 0.1.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-flag, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-flag, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-flag, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-property-descriptors, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-property-descriptors, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-proto, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-proto, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-symbols, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-tostringtag, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-tostringtag, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-value, version 0.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-value, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-values, version 0.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- has-values, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- has, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- hasha, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- hasown, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- hawk, version 3.1.3. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- he, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- highlight.js, version 8.9.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>

- hoek, version 2.16.3. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-3-clause>
- hoist-non-react-statics, version 3.3.2. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause-3-clause>
- hooker, version 0.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- hoopy, version 0.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- hosted-git-info, version 2.8.9. A copy of its license can be found at <https://www.isc.org/licenses/>
- hpack.js, version 2.1.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- htm, version 3.1.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- html-dom-parser, version 1.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-encoding-sniffer, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-entities, version 2.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-escaper, version 2.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-inline, version 1.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-minifier-terser, version 6.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-parse-stringify, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-react-parser, version 1.4.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-select, version 2.3.24. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-tokenize, version 1.2.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- html-webpack-plugin, version 5.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- htmlparser2, version 3.10.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- htmlparser2, version 3.8.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- htmlparser2, version 6.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- htmlparser2, version 7.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- http-auth, version 3.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- http-deceiver, version 1.2.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- http-errors, version 1.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-errors, version 1.6.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-errors, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-parser-js, version 0.5.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-proxy-agent, version 4.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-proxy-middleware, version 2.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-proxy, version 0.10.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-proxy, version 1.18.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-signature, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- http-signature, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- https-proxy-agent, version 5.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- human-signals, version 2.1.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- hyphenate-style-name, version 1.0.4. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- i18next-http-backend, version 2.5.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- i18next, version 22.5.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- i, version 0.3.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- iconv-lite, version 0.2.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- iconv-lite, version 0.4.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- iconv-lite, version 0.4.13. A copy of its license can be found at <https://opensource.org/license/MIT>
- iconv-lite, version 0.4.24. A copy of its license can be found at <https://opensource.org/license/MIT>
- iconv-lite, version 0.6.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- icss-utils, version 5.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- idb, version 7.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- identity-obj-proxy, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- ignore, version 4.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- ignore, version 5.2.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- ignore, version 5.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ignore, version 5.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- image-size, version 0.5.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- immer, version 9.0.21. A copy of its license can be found at <https://opensource.org/license/MIT>
- immutable, version 3.8.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- immutable, version 4.3.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- import-fresh, version 3.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- import-local, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- imurmurhash, version 0.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- indent-string, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- indexof, version 0.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- inflight, version 1.0.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- inherits, version 1.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- inherits, version 2.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- inherits, version 2.0.4. A copy of its license can be found at <https://www.isc.org/licenses/>
- ini, version 1.3.8. A copy of its license can be found at <https://www.isc.org/licenses/>
- inline-style-parser, version 0.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- inquirer, version 7.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- internal-slot, version 1.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- internal-slot, version 1.0.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- invert-kv, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- ipaddr.js, version 1.9.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ipaddr.js, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- irregular-plurals, version 3.5.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- is-accessor-descriptor, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-arguments, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-array-buffer, version 3.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-array-buffer, version 3.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-arrayish, version 0.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-async-function, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-bigint, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-binary-path, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-binary-path, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-boolean-object, version 1.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-buffer, version 1.1.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-callable, version 1.2.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-core-module, version 2.13.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-core-module, version 2.13.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-core-module, version 2.15.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-data-descriptor, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-data-view, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-date-object, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-descriptor, version 0.1.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-descriptor, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-docker, version 2.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-dotfile, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-equal-shallow, version 0.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- is-extendable, version 0.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-extendable, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-extglob, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-extglob, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-finalizationregistry, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-fullwidth-code-point, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-fullwidth-code-point, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-fullwidth-code-point, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-generator-fn, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-generator-function, version 1.0.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-glob, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-glob, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-glob, version 4.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-in-browser, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-map, version 2.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-module, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-my-ip-valid, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-my-json-valid, version 2.20.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-negative-zero, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-negative-zero, version 2.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-number-like, version 1.0.8. A copy of its license can be found at <https://www.isc.org/licenses/>
- is-number-object, version 1.0.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-number, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-number, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- is-number, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-number, version 7.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-obj, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-path-inside, version 3.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-plain-obj, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-plain-object, version 2.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-posix-bracket, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-potential-custom-element-name, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-primitive, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-property, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-regex, version 1.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-regexp, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-root, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-set, version 2.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-shared-array-buffer, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-shared-array-buffer, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-stream, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-stream, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-string, version 1.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-symbol, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-typed-array, version 1.1.12. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-typed-array, version 1.1.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-typedarray, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- is-unicode-supported, version 0.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- is-weakmap, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-weakref, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-weakset, version 2.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-windows, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-wsl, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- is-wsl, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- isarray, version 0.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- isarray, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- isarray, version 2.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- isexe, version 2.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- isobject, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- isobject, version 3.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- isstream, version 0.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- istanbul-lib-coverage, version 3.2.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- istanbul-lib-instrument, version 5.2.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- istanbul-lib-report, version 3.0.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- istanbul-lib-source-maps, version 4.0.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- istanbul-reports, version 3.1.7. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- istanbul, version 0.4.5. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- iterator.prototype, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- jackspeak, version 2.3.6. A copy of its license can be found at <https://blueoakcouncil.org/license/1.0.0>
- jake, version 10.8.7. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- jasmine-core, version 2.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- jasmine-core, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- jasmine-core, version 5.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>

- jest-changed-files, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-circus, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-cli, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-config, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-diff, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-diff, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-docblock, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-each, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-environment-jsdom, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-environment-node, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-get-type, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-get-type, version 29.6.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-haste-map, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-jasmine2, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-leak-detector, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-matcher-utils, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-matcher-utils, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-message-util, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-message-util, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-message-util, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-mock, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-pnp-resolver, version 1.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-regex-util, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- jest-regex-util, version 28.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-resolve-dependencies, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-resolve, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-runner, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-runtime, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-serializer, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-snapshot, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-util, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-util, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-util, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-validate, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-watch-typeahead, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-watcher, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-watcher, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-worker, version 26.6.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-worker, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest-worker, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jest, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jiti, version 1.21.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jodit-react, version 1.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jodit, version 3.24.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jquery, version 2.2.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jquery, version 3.7.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- js-quantities, version 1.8.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- js-tokens, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- js-yaml, version 2.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- js-yaml, version 3.14.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- js-yaml, version 4.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsbn, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsdom, version 16.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsecc, version 0.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsecc, version 2.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jshint, version 2.13.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-buffer, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-parse-even-better-errors, version 2.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-schema-traverse, version 0.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-schema-traverse, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-schema, version 0.4.0. A copy of its license can be found at (<https://spdx.org/licenses/AFL-2.1.html> OR <https://opensource.org/licenses/BSD-3-clause>)
- json-stable-stringify-without-jsonify, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-stable-stringify, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json-stringify-safe, version 5.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- json5, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- json5, version 2.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsonfile, version 2.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsonfile, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsonfile, version 6.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsonify, version 0.0.1. A copy of its license can be found at <https://creativecommons.org/public-domain/>
- jsonpath, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsonpointer, version 5.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsonschema, version 1.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- jsprim, version 1.4.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- `jss-plugin-camel-case`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss-plugin-default-unit`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss-plugin-global`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss-plugin-nested`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss-plugin-props-sort`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss-plugin-rule-value-function`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss-plugin-vendor-prefixer`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jss`, version 10.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `jsx-ast-utils`, version 3.3.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `karma-jasmine`, version 0.3.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `karma-phantomjs-launcher`, version 0.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `karma`, version 0.12.37. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `kew`, version 0.7.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- `keyv`, version 4.5.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `kind-of`, version 3.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `kind-of`, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `kind-of`, version 6.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `klaw`, version 1.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `kleur`, version 3.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `klona`, version 2.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `language-subtag-registry`, version 0.3.22. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- `language-tags`, version 1.0.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `launch-editor`, version 2.6.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lazy-cache`, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lcid`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `less`, version 2.7.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- `leven`, version 3.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- levn, version 0.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- levn, version 0.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- license-checker, version 25.0.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- lilconfig, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lilconfig, version 3.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- limiter, version 1.1.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lines-and-columns, version 1.2.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- live-server, version 1.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- livereload-js, version 2.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- load-grunt-tasks, version 3.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- load-json-file, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- loader-runner, version 4.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- loader-utils, version 2.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- loader-utils, version 3.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- loaders.css, version 0.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- localtunnel, version 2.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- locate-path, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- locate-path, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- locate-path, version 5.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- locate-path, version 6.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash._basebind, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash._basecreate, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash._basecreatecallback, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash._basecreatewrapper, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- `lodash._createwrapper`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash._isnative`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash._objecttypes`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash._reinterpolate`, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash._setbinddata`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash._shimplainobject`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash._slice`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.assignin`, version 4.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.bind`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.bind`, version 4.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.debounce`, version 4.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.defaults`, version 4.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.filter`, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.flatten`, version 4.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.flow`, version 3.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.foreach`, version 4.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.forin`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.identity`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.isequal`, version 4.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.isfinite`, version 3.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.isfunction`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.isobject`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `lodash.isplainobject`, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- lodash.isplainobject, version 4.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.map, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.memoize, version 4.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.merge, version 4.6.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.noop, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.pick, version 4.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.reduce, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.reject, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.some, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.sortby, version 4.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.support, version 2.4.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.template, version 4.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.templatesettings, version 4.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash.uniq, version 4.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash, version 0.9.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash, version 2.4.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash, version 3.10.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lodash, version 4.17.21. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- log-symbols, version 4.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- log4js, version 0.6.38. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- longest, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- loose-envify, version 1.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lower-case, version 2.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- lru-cache, version 10.2.0. A copy of its license can be found at <https://www.isc.org/licenses/>

- lru-cache, version 2.7.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- lru-cache, version 4.1.5. A copy of its license can be found at <https://www.isc.org/licenses/>
- lru-cache, version 5.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- lru-cache, version 6.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- lz-string, version 1.5.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- m-io, version 0.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- m-io, version 0.5.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- magic-string, version 0.25.9. A copy of its license can be found at <https://opensource.org/license/MIT>
- make-dir, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- make-dir, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- makeerror, version 1.0.12. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- map-cache, version 0.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- map-visit, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- marked, version 0.3.19. A copy of its license can be found at <https://opensource.org/license/MIT>
- math-random, version 1.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- maxmin, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- mdn-data, version 2.0.14. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- mdn-data, version 2.0.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- media-typer, version 0.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- mem, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- memfs, version 3.5.3. A copy of its license can be found at <https://unlicense.org/>
- memoize-one, version 5.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- merge-descriptors, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- merge-stream, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- merge2, version 1.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- method-override, version 2.3.10. A copy of its license can be found at <https://opensource.org/license/MIT>

- methods, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- micromatch, version 2.3.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- micromatch, version 3.1.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- micromatch, version 4.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- mime-db, version 1.52.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- mime-types, version 2.1.35. A copy of its license can be found at <https://opensource.org/license/MIT>
- mime, version 1.3.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- mime, version 1.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- mime, version 1.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- mimic-fn, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- mimic-fn, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- min-indent, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- mini-css-extract-plugin, version 2.8.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- minimalistic-assert, version 1.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- minimatch, version 0.2.14. A copy of its license can be found at <https://opensource.org/license/MIT>
- minimatch, version 0.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- minimatch, version 2.0.10. A copy of its license can be found at <https://www.isc.org/licenses/>
- minimatch, version 3.0.8. A copy of its license can be found at <https://www.isc.org/licenses/>
- minimatch, version 3.1.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- minimatch, version 5.1.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- minimatch, version 9.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- minimalist, version 0.0.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- minimalist, version 0.0.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- minimalist, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- minimalist, version 1.2.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- minipass, version 7.0.4. A copy of its license can be found at <https://www.isc.org/licenses/>
- mitt, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- `mix-in-deep`, version 1.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `mkdirp`, version 0.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `mkdirp`, version 0.5.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `morgan`, version 1.10.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `morgan`, version 1.6.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ms`, version 0.7.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ms`, version 0.7.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ms`, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ms`, version 2.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ms`, version 2.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `multicast-dns`, version 7.2.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `multimatch`, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `multipart`, version 3.3.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `mute-stream`, version 0.0.8. A copy of its license can be found at <https://www.isc.org/licenses/>
- `mz`, version 2.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `nan`, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `nanoid`, version 3.3.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `nanomatch`, version 1.2.13. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `natives`, version 1.1.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- `natural-compare-lite`, version 1.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `natural-compare`, version 1.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `ncp`, version 0.4.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `negotiator`, version 0.5.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `negotiator`, version 0.6.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `neo-async`, version 2.6.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `nice-try`, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `no-case`, version 3.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- `node-fetch`, version 2.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- node-forge, version 1.3.1. A copy of its license can be found at (<https://opensource.org/license/BSD-3-clause> OR <https://www.gnu.org/licenses/old-licenses/gpl-2.0.html>)
- node-int64, version 0.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- node-releases, version 2.0.14. A copy of its license can be found at <https://opensource.org/license/MIT>
- node-uuid, version 1.4.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- nopt, version 1.0.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- nopt, version 3.0.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- nopt, version 4.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- normalize-html-whitespace, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- normalize-package-data, version 2.5.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- normalize-path, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- normalize-path, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- normalize-range, version 0.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- normalize-url, version 6.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- npm-normalize-package-bin, version 1.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- npm-run-path, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- npm-run-path, version 4.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- nth-check, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- nth-check, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- number-is-nan, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- nwsapi, version 2.2.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- oauth-sign, version 0.8.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- oauth-sign, version 0.9.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- object-assign, version 4.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- object-copy, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- object-hash, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-inspect, version 1.12.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-inspect, version 1.13.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-inspect, version 1.13.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-is, version 1.1.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-keys, version 0.4.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-keys, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object-visit, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.assign, version 4.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.assign, version 4.1.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.entries, version 1.1.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.fromentries, version 2.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.fromentries, version 2.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.getownpropertydescriptors, version 2.1.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.groupby, version 1.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.groupby, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.hasown, version 1.1.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.omit, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.pick, version 1.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.values, version 1.1.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- object.values, version 1.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- obuf, version 1.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- on-finished, version 2.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- on-finished, version 2.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- on-headers, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- once, version 1.4.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- onetime, version 5.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- open, version 0.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- open, version 8.4.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- openurl, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- opn, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- opn, version 5.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- opn, version 6.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- optimist, version 0.6.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- optionator, version 0.8.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- optionator, version 0.9.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- options, version 0.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- os-homedir, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- os-locale, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- os-tmpdir, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- osenv, version 0.1.5. A copy of its license can be found at <https://www.isc.org/licenses/>
- p-finally, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-limit, version 1.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-limit, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-limit, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-locate, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-locate, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-locate, version 4.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-locate, version 5.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-retry, version 4.6.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- p-try, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- p-try, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- package, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- param-case, version 3.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- parent-module, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- parse-glob, version 3.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- parse-json, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- parse-json, version 5.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- parse5, version 6.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- parseurl, version 1.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- pascal-case, version 3.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- pascalcase, version 0.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-dirname, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-exists, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-exists, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-exists, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-is-absolute, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-key, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-key, version 3.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-parse, version 1.0.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-scurry, version 1.10.1. A copy of its license can be found at <https://blueoakcouncil.org/license/1.0.0>
- path-to-regexp, version 0.1.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-type, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- path-type, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pause-stream, version 0.0.11. A copy of its license can be found at <https://opensource.org/license/MIT>

- pause, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pend, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- performance-now, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- performance-now, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- phantomjs-prebuilt, version 2.1.16. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- phantomjs, version 1.9.20. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- picocolors, version 0.2.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- picocolors, version 1.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- picocolors, version 1.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- picomatch, version 2.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- pify, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pinkie-promise, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- pinkie, version 2.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- pirates, version 4.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- pkg-dir, version 4.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pkg-up, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pkg-up, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- pkginfo, version 0.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- plur, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- policyfile, version 0.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- popper.js, version 1.16.1-lts. A copy of its license can be found at <https://opensource.org/license/MIT>
- portscanner, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- portscanner, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- posix-character-classes, version 0.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- possible-typed-array-names, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-attribute-case-insensitive, version 5.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-browser-comments, version 4.0.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-calc, version 8.2.4. A copy of its license can be found at <https://opensource.org/license/MIT>

- postcss-clamp, version 4.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-color-functional-notation, version 4.2.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-color-hex-alpha, version 8.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-color-rebeccapurple, version 7.1.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-colormin, version 5.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-convert-values, version 5.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-custom-media, version 8.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-custom-properties, version 12.1.11. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-custom-selectors, version 6.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-dir-pseudo-class, version 6.0.5. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-discard-comments, version 5.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-discard-duplicates, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-discard-empty, version 5.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-discard-overridden, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-double-position-gradients, version 3.1.2. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-env-function, version 4.0.6. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-flexbugs-fixes, version 5.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-focus-visible, version 6.0.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-focus-within, version 5.0.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-font-variant, version 5.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- postcss-gap-properties, version 3.0.5. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-image-set-function, version 4.0.7. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-import, version 15.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- postcss-initial, version 4.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-js, version 4.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-lab-function, version 4.2.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-load-config, version 4.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-loader, version 6.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-logical, version 5.0.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-media-minmax, version 5.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-merge-longhand, version 5.1.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-merge-rules, version 5.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-minify-font-values, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-minify-gradients, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-minify-params, version 5.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-minify-selectors, version 5.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-modules-extract-imports, version 3.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- postcss-modules-local-by-default, version 4.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-modules-scope, version 3.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- postcss-modules-values, version 4.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- postcss-nested, version 6.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-nesting, version 10.2.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-normalize-charset, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-display-values, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-positions, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-repeat-style, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>

- postcss-normalize-string, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-timing-functions, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-unicode, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-url, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize-whitespace, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-normalize, version 10.0.1. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-opacity-percentage, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-ordered-values, version 5.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-overflow-shorthand, version 3.0.4. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-page-break, version 3.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-place, version 7.0.5. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-preset-env, version 7.8.3. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-pseudo-class-any-link, version 7.1.6. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- postcss-reduce-initial, version 5.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-reduce-transforms, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-replace-overflow-wrap, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-selector-not, version 6.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-selector-parser, version 6.0.16. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-svgo, version 5.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-unique-selectors, version 5.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss-value-parser, version 4.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss, version 7.0.39. A copy of its license can be found at <https://opensource.org/license/MIT>
- postcss, version 8.4.38. A copy of its license can be found at <https://opensource.org/license/MIT>

- prelude-ls, version 1.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- prelude-ls, version 1.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- preserve, version 0.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- prettier, version 2.7.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- pretty-bytes, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- pretty-bytes, version 5.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- pretty-error, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- pretty-format, version 27.5.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- pretty-format, version 28.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- pretty-format, version 29.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- process-nextick-args, version 1.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- process-nextick-args, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- progress, version 1.1.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- progress, version 2.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- progressbar.js, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- promise, version 7.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- promise, version 8.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- promised-handlebars, version 1.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- prompts, version 2.4.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- prop-types, version 15.8.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- proxy-addr, version 2.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- proxy-from-env, version 1.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- proxy-middleware, version 0.15.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- prr, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- pseudomap, version 1.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- psl, version 1.9.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- punycode, version 1.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- punycode, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- punycode, version 2.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- q-deep, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- q, version 1.5.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- qs, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- qs, version 5.2.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- qs, version 6.11.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- qs, version 6.12.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- qs, version 6.12.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- qs, version 6.4.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- qs, version 6.5.3. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- querystringify, version 2.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- queue-microtask, version 1.2.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- raf-schd, version 4.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- raf, version 3.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- random-bytes, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- randomatic, version 3.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- randombytes, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- range-parser, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- range-parser, version 1.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- raw-body, version 1.1.7. A copy of its license can be found at <https://opensource.org/license/MIT>

- raw-body, version 2.1.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- raw-body, version 2.5.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-app-polyfill, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-app-rewired, version 2.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-beautiful-dnd, version 13.1.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- react-chat-elements, version 11.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-clientside-effect, version 1.2.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-dev-utils, version 12.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-dom, version 16.14.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-dom, version 17.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-error-overlay, version 6.0.11. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-focus-lock, version 2.11.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-hook-form, version 7.51.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-i18next, version 12.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-icon-base, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-icons, version 2.2.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-is, version 16.13.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-is, version 17.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-is, version 18.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-is, version 18.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-lifecycles-compat, version 3.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-native-icons, version 0.7.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-native-vector-icons, version 4.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- react-progress-bar.js, version 0.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-property, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-redux, version 7.2.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-redux, version 8.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-refresh, version 0.11.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-router-dom, version 6.11.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-router, version 6.11.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-scripts, version 5.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-spinkit, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-templates, version 0.6.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-toastify, version 7.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react-transition-group, version 4.4.5. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- react-virtualized, version 9.22.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react, version 16.14.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- react, version 17.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- read-cache, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- read-installed, version 4.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- read-package-json, version 2.1.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- read-pkg-up, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- read-pkg, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- readable-stream, version 1.0.34. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- readable-stream, version 1.1.14. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- readable-stream, version 2.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- readable-stream, version 2.3.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- readable-stream, version 3.6.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- readable-wrap, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- readdir-scoped-modules, version 1.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- readdirp, version 2.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- readdirp, version 3.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- recursive-readdir, version 2.2.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- redent, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- redis, version 0.7.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- redux-thunk, version 2.4.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- redux, version 4.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- reflect.getprototypeof, version 1.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- regenerate-unicode-properties, version 10.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- regenerate, version 1.4.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- regenerator-runtime, version 0.13.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- regenerator-runtime, version 0.14.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- regenerator-transform, version 0.15.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- regex-cache, version 0.4.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- regex-not, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- regex-parser, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- regexp.prototype.flags, version 1.5.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- regexp.prototype.flags, version 1.5.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- regexp.prototype.flags, version 1.5.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- regxpp, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>

- regexpp, version 3.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- regexpu-core, version 5.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- regjsparser, version 0.9.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- relateurl, version 0.2.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- remove-trailing-separator, version 1.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- renderkid, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- repeat-element, version 1.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- repeat-string, version 1.6.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- request-progress, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- request, version 2.67.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- request, version 2.81.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- request, version 2.88.2. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- require-directory, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- require-from-string, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- require-main-filename, version 1.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- require-main-filename, version 2.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- requires-port, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- reselect, version 4.1.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- resize-observer-polyfill, version 1.5.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve-cwd, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve-from, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve-from, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve-from, version 5.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- resolve-pkg, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve-url-loader, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve-url, version 0.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve.exports, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve, version 1.1.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve, version 1.22.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve, version 1.22.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- resolve, version 2.0.0-next.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- resp-modifier, version 6.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- response-time, version 2.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- restore-cursor, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- ret, version 0.1.15. A copy of its license can be found at <https://opensource.org/license/MIT>
- retry, version 0.13.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- reusify, version 1.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- rfm, version 0.7.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- right-align, version 0.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- rimraf, version 2.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- rimraf, version 2.2.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- rimraf, version 2.6.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- rimraf, version 2.7.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- rimraf, version 3.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- rndm, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- rollup-plugin-terser, version 7.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- rollup, version 2.79.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- run-async, version 2.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- run-parallel, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- rx, version 4.1.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- rxjs, version 6.6.7. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- rxjs, version 7.8.1. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- safe-array-concat, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-array-concat, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-buffer, version 5.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-buffer, version 5.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-json-parse, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-regex-test, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-regex-test, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- safe-regex, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- safer-buffer, version 2.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- sanitize.css, version 13.0.0. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- sass-loader, version 12.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- sass, version 1.72.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- sax, version 1.2.4. A copy of its license can be found at <https://www.isc.org/licenses/>
- saxes, version 5.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- scheduler, version 0.19.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- scheduler, version 0.20.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- schema-utils, version 2.7.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- schema-utils, version 2.7.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- schema-utils, version 3.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- schema-utils, version 4.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- select-hose, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- selfsigned, version 2.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>

- semver, version 1.0.14. A copy of its license can be found at <https://opensource.org/license/MIT>
- semver, version 4.3.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- semver, version 5.7.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- semver, version 6.3.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- semver, version 7.6.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- sencha-cmd, version 6.5.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- send, version 0.13.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- send, version 0.16.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- send, version 0.18.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- serialize-javascript, version 4.0.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- serialize-javascript, version 6.0.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- serve-favicon, version 2.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- serve-index, version 1.7.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- serve-index, version 1.9.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- serve-static, version 1.10.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- serve-static, version 1.13.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- serve-static, version 1.15.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- server-destroy, version 1.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- set-blocking, version 2.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- set-function-length, version 1.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- set-function-name, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- set-function-name, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- set-value, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- setprototypeof, version 1.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- setprototypeof, version 1.2.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- shebang-command, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- shebang-command, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- shebang-regex, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- shebang-regex, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- shell-quote, version 1.8.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- shifty, version 2.20.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- side-channel, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- side-channel, version 1.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- sigmund, version 1.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- signal-exit, version 3.0.7. A copy of its license can be found at <https://www.isc.org/licenses/>
- signal-exit, version 4.1.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- sisteransi, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- slash, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- slash, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- slice-ansi, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- slide, version 1.1.6. A copy of its license can be found at <https://www.isc.org/licenses/>
- snapdragon-node, version 2.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- snapdragon-util, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- snapdragon, version 0.8.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- sntp, version 1.0.9. A copy of its license can be found at <https://opensource.org/licenses/BSD-2-clause>
- socket.io-adapter, version 2.5.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- socket.io-client, version 0.9.16. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- socket.io-client, version 4.7.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- socket.io-parser, version 4.2.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- socket.io, version 0.9.16. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- socket.io, version 4.7.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- sockjs, version 0.3.24. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- source-list-map, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- source-map-js, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- source-map-loader, version 3.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- source-map-resolve, version 0.5.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- source-map-support, version 0.5.21. A copy of its license can be found at <https://opensource.org/license/MIT>
- source-map-url, version 0.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- source-map, version 0.1.43. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- source-map, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- source-map, version 0.4.4. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- source-map, version 0.5.7. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- source-map, version 0.6.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- source-map, version 0.7.4. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- source-map, version 0.8.0-beta.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- sourcemap-codec, version 1.4.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- spawn-command, version 0.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- spdx-compare, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- spdx-correct, version 3.2.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- spdx-exceptions, version 2.5.0. A copy of its license can be found at <https://creativecommons.org/licenses/by/3.0/deed.en>
- spdx-expression-parse, version 3.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- spdx-license-ids, version 3.0.17. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- spdx-license-ids, version 3.0.20. A copy of its license can be found at <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>
- spdx-ranges, version 2.1.1. A copy of its license can be found at (<https://opensource.org/license/MIT> AND <https://creativecommons.org/licenses/by/3.0/deed.en>)

- spdx-satisfies, version 4.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- spdy-transport, version 3.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- spdy, version 4.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- split-string, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- split, version 0.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- sprintf-js, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- sshpk, version 1.17.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- sshpk, version 1.18.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- stable, version 0.1.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- stack-chain, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- stack-utils, version 2.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- stackframe, version 1.3.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- static-eval, version 2.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- static-extend, version 0.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- statuses, version 1.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- statuses, version 1.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- statuses, version 1.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- statuses, version 1.5.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- statuses, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- stop-iteration-iterator, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- stream-combiner, version 0.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- stream-counter, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- stream-equal, version 0.1.13. A copy of its license can be found at <https://opensource.org/license/MIT>
- stream-splicer, version 1.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>

- stream-throttle, version 0.1.3. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-3-clause>
- string-length, version 4.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-length, version 5.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-natural-compare, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-template, version 0.2.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-width, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-width, version 2.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-width, version 3.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-width, version 4.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string-width, version 5.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.matchall, version 4.0.11. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.trim, version 1.2.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.trim, version 1.2.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.trimend, version 1.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.trimend, version 1.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.trimstart, version 1.0.7. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string.prototype.trimstart, version 1.0.8. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string_decoder, version 0.10.31. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string_decoder, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- string_decoder, version 1.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- stringify-object, version 3.3.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- stringstream, version 0.0.6. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-ansi, version 0.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- strip-ansi, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-ansi, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-ansi, version 5.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-ansi, version 6.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-ansi, version 7.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-bom, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-bom, version 4.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-comments, version 2.0.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-eof, version 1.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-final-newline, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-indent, version 3.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-json-comments, version 1.0.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- strip-json-comments, version 3.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- style-loader, version 3.3.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- style-to-js, version 1.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- style-to-object, version 0.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- stylehacks, version 5.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- stylis, version 4.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- sucrase, version 3.35.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- supports-color, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- supports-color, version 3.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- supports-color, version 5.5.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- supports-color, version 7.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- supports-color, version 8.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- supports-hyperlinks, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- supports-preserve-symlinks-flag, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- svg-parser, version 2.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- svgo, version 1.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- svgo, version 2.8.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- swagger-ui-dist, version 4.1.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- symbol-tree, version 3.2.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- table, version 5.4.6. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- tailwindcss, version 3.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- tapable, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- tapable, version 2.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- temp-dir, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- temporary, version 0.0.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- tempy, version 0.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- terminal-link, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- terser-webpack-plugin, version 5.3.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- terser, version 5.29.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- test-exclude, version 6.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- text-table, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- thenify-all, version 1.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- thenify, version 3.3.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- throat, version 6.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- throttleit, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- throttleit, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>

- through2, version 0.4.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- through2, version 0.6.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- through2, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- through, version 2.3.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- thunky, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- timeago.js, version 4.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- tiny-invariant, version 1.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- tiny-lr, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- tiny-warning, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- tmp, version 0.0.33. A copy of its license can be found at <https://opensource.org/license/MIT>
- tmpl, version 1.0.5. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- to-fast-properties, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- to-object-path, version 0.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- to-regex-range, version 2.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- to-regex-range, version 5.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- to-regex, version 3.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- toidentifier, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- tough-cookie, version 2.2.2. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- tough-cookie, version 2.3.4. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- tough-cookie, version 2.5.0. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- tough-cookie, version 4.1.3. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- tr46, version 0.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- tr46, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- tr46, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- trace-and-clarify-if-possible, version 1.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- trace, version 3.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>

- tree-kill, version 1.2.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- treeify, version 1.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- trumpet, version 1.7.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- tryer, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- ts-interface-checker, version 0.1.13. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- tsconfig-paths, version 3.14.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- tsconfig-paths, version 3.15.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- tslib, version 1.14.1. A copy of its license can be found at <https://opensource.org/license/0bsd>
- tslib, version 2.6.2. A copy of its license can be found at <https://opensource.org/license/0bsd>
- tsscmp, version 1.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- tsutils, version 3.21.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- tunnel-agent, version 0.4.3. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- tunnel-agent, version 0.6.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- tweetnacl, version 0.14.5. A copy of its license can be found at <https://unlicense.org/>
- type-check, version 0.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- type-check, version 0.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- type-detect, version 4.0.8. A copy of its license can be found at <https://opensource.org/license/MIT>
- type-fest, version 0.16.0. A copy of its license can be found at (<https://opensource.org/license/MIT> OR <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>)
- type-fest, version 0.20.2. A copy of its license can be found at (<https://opensource.org/license/MIT> OR <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>)
- type-fest, version 0.21.3. A copy of its license can be found at (<https://opensource.org/license/MIT> OR <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>)
- type-fest, version 0.8.1. A copy of its license can be found at (<https://opensource.org/license/MIT> OR <https://creativecommons.org/publicdomain/zero/1.0/legalcode.en#legal-code-title>)
- type-is, version 1.6.18. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-buffer, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- typed-array-buffer, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-byte-length, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-byte-length, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-byte-offset, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-byte-offset, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-length, version 1.0.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- typed-array-length, version 1.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- typedarray-to-buffer, version 3.1.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- typedarray, version 0.0.6. A copy of its license can be found at <https://opensource.org/license/MIT>
- typedarray, version 0.0.7. A copy of its license can be found at <https://opensource.org/license/MIT>
- typescript, version 4.9.5. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- ua-parser-js, version 1.0.37. A copy of its license can be found at <https://opensource.org/license/MIT>
- uglify-js, version 1.2.5. A copy of its license can be found at <https://opensource.org/license/BSD-2-clause>
- uglify-js, version 2.8.29. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- uglify-js, version 3.4.10. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- uglify-to-browserify, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- uid-safe, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- uid-safe, version 2.1.4. A copy of its license can be found at <https://opensource.org/license/MIT>
- unbox-primitive, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- underscore.string, version 2.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- underscore.string, version 2.3.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- underscore.string, version 2.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- underscore, version 1.12.1. A copy of its license can be found at <https://opensource.org/license/MIT>

- underscore, version 1.7.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- undici-types, version 5.26.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- unicode-canonical-property-names-ecmascript, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- unicode-match-property-ecmascript, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- unicode-match-property-value-ecmascript, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- unicode-property-aliases-ecmascript, version 2.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- union-value, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- unique-string, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- universalify, version 0.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- universalify, version 0.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- universalify, version 2.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- unix-crypt-ttd-js, version 1.1.4. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-3-clause>
- unpipe, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- unquote, version 1.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- unset-value, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- upath, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- update-browserslist-db, version 1.0.13. A copy of its license can be found at <https://opensource.org/license/MIT>
- uri-js, version 4.4.1. A copy of its license can be found at <https://opensource.org/license/https://opensource.org/license/BSD-2-clause-2-clause>
- uri-path, version 1.0.0. A copy of its license can be found at <https://www.wtfpl.net/> OR <https://opensource.org/license/MIT>
- urix, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- url-parse, version 1.5.10. A copy of its license can be found at <https://opensource.org/license/MIT>
- use-callback-ref, version 1.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- use-memo-one, version 1.1.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- use-sidecar, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>

- use-sync-external-store, version 1.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- use, version 3.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- useragent, version 2.3.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- util-deprecate, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- util-extend, version 1.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- util.promisify, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- utila, version 0.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- utile, version 0.2.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- utils-merge, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- utils-merge, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- uuid, version 3.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- uuid, version 8.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- v8-compile-cache, version 2.4.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- v8-to-istanbul, version 8.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- validate-npm-package-license, version 3.0.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- vary, version 1.0.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- vary, version 1.1.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- verror, version 1.10.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- vhost, version 3.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- void-elements, version 3.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- w3c-hr-time, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- w3c-xmlserializer, version 2.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- walker, version 1.0.8. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- watchpack, version 2.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- wbuf, version 1.7.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- web-vitals, version 2.1.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>

- webidl-conversions, version 3.0.1. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- webidl-conversions, version 4.0.2. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- webidl-conversions, version 5.0.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- webidl-conversions, version 6.1.0. A copy of its license can be found at <https://opensource.org/licenses/https://opensource.org/licenses/BSD-2-clause-2-clause>
- webpack-dev-middleware, version 5.3.4. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-dev-server, version 4.15.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-hot-middleware, version 2.26.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-manifest-plugin, version 4.1.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-merge, version 4.2.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-sources, version 1.4.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-sources, version 2.3.1. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack-sources, version 3.2.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- webpack, version 5.91.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- websocket-driver, version 0.7.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- websocket-extensions, version 0.1.4. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- whatwg-encoding, version 1.0.5. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- whatwg-fetch, version 3.6.20. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- whatwg-mimetype, version 2.3.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- whatwg-url, version 5.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- whatwg-url, version 7.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- whatwg-url, version 8.7.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- which-boxed-primitive, version 1.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- which-builtin-type, version 1.1.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>

- which-collection, version 1.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- which-module, version 2.0.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- which-typed-array, version 1.1.11. A copy of its license can be found at <https://opensource.org/license/MIT>
- which-typed-array, version 1.1.15. A copy of its license can be found at <https://opensource.org/license/MIT>
- which, version 1.0.9. A copy of its license can be found at <https://www.isc.org/licenses/>
- which, version 1.2.14. A copy of its license can be found at <https://www.isc.org/licenses/>
- which, version 1.3.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- which, version 2.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- window-size, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- word-wrap, version 1.2.5. A copy of its license can be found at <https://opensource.org/license/MIT>
- wordwrap, version 0.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- wordwrap, version 0.0.3. A copy of its license can be found at <https://opensource.org/license/MIT>
- wordwrap, version 1.0.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-background-sync, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-broadcast-update, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-build, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-cacheable-response, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-core, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-expiration, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-google-analytics, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-navigation-preload, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-precaching, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-range-requests, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- workbox-recipes, version 6.6.0. A copy of its license can be found at <https://opensource.org/license/MIT>

- workbox-routing, version 6.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- workbox-strategies, version 6.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- workbox-streams, version 6.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- workbox-sw, version 6.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- workbox-webpack-plugin, version 6.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- workbox-window, version 6.6.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- wrap-ansi, version 2.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- wrap-ansi, version 5.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- wrap-ansi, version 7.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- wrap-ansi, version 8.1.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- wrappy, version 1.0.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- write-file-atomic, version 3.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- write, version 1.0.3. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ws, version 0.4.32. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ws, version 7.5.9. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ws, version 8.11.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- ws, version 8.16.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- xml-name-validator, version 3.0.0. A copy of its license can be found at <https://www.apache.org/licenses/LICENSE-2.0.txt>
- xmlchars, version 2.2.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- xmlhttprequest-ssl, version 2.0.0. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- xmlhttprequest, version 1.4.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- xtend, version 2.1.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- xtend, version 4.0.2. A copy of its license can be found at <https://opensource.org/licenses/MIT>
- y18n, version 3.2.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- y18n, version 4.0.3. A copy of its license can be found at <https://www.isc.org/licenses/>
- y18n, version 5.0.8. A copy of its license can be found at <https://www.isc.org/licenses/>
- yallist, version 2.1.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- yallist, version 3.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>

- yallist, version 4.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- yaml, version 1.10.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- yaml, version 2.4.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- yargs-parser, version 13.1.2. A copy of its license can be found at <https://www.isc.org/licenses/>
- yargs-parser, version 20.2.9. A copy of its license can be found at <https://www.isc.org/licenses/>
- yargs-parser, version 21.1.1. A copy of its license can be found at <https://www.isc.org/licenses/>
- yargs-parser, version 7.0.0. A copy of its license can be found at <https://www.isc.org/licenses/>
- yargs, version 13.3.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- yargs, version 16.2.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- yargs, version 17.1.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- yargs, version 17.7.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- yargs, version 3.10.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- yargs, version 8.0.2. A copy of its license can be found at <https://opensource.org/license/MIT>
- yauzl, version 2.10.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- yauzl, version 2.4.1. A copy of its license can be found at <https://opensource.org/license/MIT>
- yocto-queue, version 0.1.0. A copy of its license can be found at <https://opensource.org/license/MIT>
- zeparser, version 0.0.5. A copy of its license can be found at <https://opensource.org/license/MIT>

Verint. Powering Actionable Intelligence.®

Verint® is a global leader in Actionable Intelligence® solutions with a focus on customer engagement optimisation, security intelligence, and fraud, risk and compliance. Today, more than 10,000 organisations in 180 countries—including over 80 percent of the Fortune 100—count on Verint solutions to make more informed, effective, and timely decisions.